

Profile 45-16

Ref. A08504



- Installation in corners
- Lighting angle: 45 Degrees
- Small width and height
- Wide range of accessories

APPLICATION

- furniture, under-cabinet and decorative lighting


MOUNTING

- to the surface, using dedicated accessories or mounting adhesive
 - easy assembly and disassembly by snapping in and out

ADDITIONAL INFORMATION

- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
 - when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum
Possible fixture IP	20, 67
Possible fixture shapes	linear
Profile cross-section	angled
Width	16 mm
Height	16 mm
LED gluing width A	11.2 mm
Number of LED strips A (8 mm wide)	1
Width of the glow	11.2 mm
Max power of a single KLUŚ LED strip	24 W/m
Lighting at an angle	45
Lighting angle adjustment from	0
Closest Rated	yes
Building type	Residential, Retail, HoReCa object, Entertainment/ Arts, Other

Color	Length	Ref
■ silver anodized	1000 mm	A08504A_1
	2005 mm	A08504A_2
	3010 mm	A08504A_3
□ white lacquered	1000 mm	A08504L10_1
	2000 mm	A08504L10_2
	3000 mm	A08504L10_3

Profile 45-16

Ref. A08504

Facility zone	office, kitchen, bathroom, furniture, niche/cove, advertising / POS, shop windows and exhibition
The cover is cut to the length of the profile	yes
Wire out back of extrusion	yes

SAMPLE PROJECTS



RELATED ACCESSORIES > COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
Focusing cover LENS0-11-30DEG	PC	80 %	semi-transparent	B17112T
Cover HS-11	PC	59 %	frosted	B17208F
		88 %	clear	B17208C
Cover KA-T-11	PVC	54 %	frosted	B17179F
		86 %	clear	B17179C
Cover KA-11	PC	67 %	frosted	B17064F
		89 %	clear	B17064C
Cover LIGER-11	PC	59 %	satin	B17037S
		21 %	black	B17037B


RELATED ACCESSORIES > END CAPS

NAME	MATERIAL	COLOR	REF.
End cap 45-16	PP	■ gray	C24206C02

RELATED ACCESSORIES > RELATED LED > ADJUSTABLE WHITE / DIM TO WARM




K-27T50-1440-24
K-27T50-1440-24



K-18D30-0960-24
K-18D30-0960-24

RELATED ACCESSORIES > RELATED LED > CRI 95+



K-CR-0480-24
K-CR-0480-24



K-CR-0960-24
K-CR-0960-24



K-CR-1440-24
K-CR-1440-24




KWP-CR-0480-24
KWP-CR-0480-24




KWP-CR-0960-24
KWP-CR-0960-24

RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY



K-VHE-0480-24
K-VHE-0480-24



K-VHE-0960-24
K-VHE-0960-24



K-VHE-1440-24
K-VHE-1440-24


RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CCT



K-RGBW-1530-24
K-RGBW-1530-24



K-RGB-1920-120-24
K-RGB-1920-120-24




KWP-1920-120-RGB-24
KWP-1920-120-RGB-24



K-RGB-1200-24
K-RGB-1200-24



KWP-RGB-1200-24
KWP-RGB-1200-24



KWP-RGB-0700-24
KWP-RGB-0700-24




K-RGB-0700-24
K-RGB-0700-24



KWP-GRGBW-1530-24
KWP-GRGBW-1530-24


RELATED ACCESSORIES > RELATED LED > WHITE MONO




K-1910-HD-24
K-HD-1910-24



KWP-1220-24
KWP-1220-24




K-2300-24
K-2300-24




K-0480-24
K-0480-24



K-0960-24
K-0960-24




K-1440-24
K-1440-24



K-2400-24
K-2400-24



K-HD-0480-24
K-HD-0480-24




K-HD-0960-24
K-HD-0960-24




K-HD-1440-24
K-HD-1440-24



KWP-1440-24
KWP-1440-24



KWP-0480-24
KWP-0480-24



KWP-0960-24
KWP-0960-24



KWP-GHD-0480-24
KWP-GHD-0480-24



KWP-GHD-0960-24
KWP-GHD-0960-24



KWP-GHD-1440-24
KWP-GHD-1440-24

NEW

NEW

NEW

NEW

NEW

NEW

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > CONDUCTIVE FASTENERS AND HEADS FOR PROFILES



HEAD
ZO
C28115N00



FASTENER
FI-8-LIN-MR
C28172N00, C28172L10,
C28172L07



FASTENER
DP-MOC-ZZ
00647



FASTENER
DP-MOC-ZO
00646

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > FASTENERS AND HEADS FOR PROFILES



HEAD
ST
C28114N00

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > MOUNTING BRACKETS




MOUNTING BRACKET
PL-PDM
C24041C02



MOUNTING BRACKET
PDS-STN
C24190N00



MOUNTING BRACKET
REG-PD
C28055C02



MOUNTING BRACKET
PDS
C24223C10, C24189C07




MOUNTING BRACKET
PDS-STN-90G
C24370N00, C24370L07,
C24370L10




MOUNTING BRACKET
PDS-STN-90D
C24367N00, C24367L07,
C24367L10



MOUNTING BRACKET
PDS-STN-ALFA
C28060N00




MOUNTING BRACKET
PDS-STN-45D
C24456N00




MOUNTING BRACKET
PDS-STN-60D
C24457N00

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > OTHER



GLAND
M8x1
C42265N00



GLAND
M10x1
C28275N00



HERMETIC COUPLER
THB.391.A4A, 4 pin
C42268C10



HERMETIC COUPLER
THB.381, 2pin
C28125C07




HERMETIC COUPLER
THB.391.A5A, 5 pin
C28156C07



JOINT CONNECTOR
THB.200.E5E, 5 pin
C28157C07

RELATED ACCESSORIES > OTHER RELATED ACCESSORIES > SUSPENSION AND MOUNTING SETS



FASTENER SET
W9
C28207N00




FASTENER SET
W10
C28208N00



FASTENER SET
RG-1
C28230P00, C28230P01,
C28230L10, C28230L07

RELATED ACCESSORIES > ELECTRONICS



MICRO
E61601

RELATED ACCESSORIES > ELECTRONICS > SWITCHES



UNI-11
E61603



UNI-P
E61580