


# Connector ZM-X90-G

Ref. 42334



- Possibility to manually adjust the sections of the profile to be joined

## APPLICATION

- crossing lighting fixtures at an angle of 90 degrees

## MOUNTING

- to the profile, with a small lock and pressure screws (included)

## TECHNICAL SPECIFICATIONS

Material	stainless steel	Color	■ silver
----------	-----------------	-------	----------


## RELATED PROFILES > ARCHITECTURAL




**3035**  
A18039  
Ref. arch 18039



**4050**  
A18050  
Ref. arch 18050



**4050-W**  
A18051  
Ref. arch 18051



**GIZA-DUO-LL**  
A02162  
Ref. arch C2162



**GIZA-LL**  
A00758  
Ref. arch C0758



**JAZ**  
A08547  
Ref. arch B8547



**OPAC-30**  
A06164  
Ref. arch B6164



**OPK-4**  
A00370  
Ref. arch C0370

## RELATED PROFILES > FOR MAIN LIGHTING



**LARKO-50**  
A00756  
Ref. arch C0756

## RELATED PROFILES > MINIMALISTIC



**PIKO-ZM**  
A01168  
Ref. arch C1168

## RELATED PROFILES > STRETCH CEILINGS



**FOLED**  
A08332V1  
Ref. arch B8332V1




**FOLED-50**  
A03632  
Ref. arch C3632



**FOLED-50-BOK**  
A0A57945  
Ref. arch SA57945



**FOLED-50-SUF**  
A03631  
Ref. arch C3631



**FOLED-BOK**  
A08334V1  
Ref. arch B8334V1



**FOLED-SUF**  
A08333V1  
Ref. arch B8333V1

## RELATED PROFILES > UNIVERSAL

# Connector ZM-X90-G

Ref. 42334



**OLEK**  
A08505  
Ref. arch B8505



**PDS-ZM-PLUS**  
A02056  
Ref. arch C2056



**PDS-ZMG**  
A01418  
Ref. arch C1418

---

## RELATED SYSTEMS > GENERAL LIGHTING SYSTEMS



**PK-4**  
A18044+A00370  
Ref. arch 18044+C0370