

Connector ZM-NA-60

Ref. 42305



APPLICATION

- connecting lighting fixtures into runs at an angle of 60 degrees

MOUNTING

- to the profile, with a small lock and pressure screws (included)

TECHNICAL SPECIFICATIONS

Material	stainless steel	Color	■ silver
----------	-----------------	-------	----------

RELATED PROFILES > ARCHITECTURAL



DIPOK-US
A01233
Ref. arch H1233



DIPOKET
A01177
Ref. arch H1177



GIZA
A05556
Ref. arch B5556




GIZA-LL-T
A02479
Ref. arch C2479




GIZA-LL-UST
A02724N
Ref. arch C2724




KOPRO
A06367
Ref. arch B6367



KOZEL
A06454
Ref. arch B6454



LARKO
A05552
Ref. arch B5552



LIPOD
A05554
Ref. arch B5554



LOKOM
A05553
Ref. arch B5553

Connector ZM-NA-60

Ref. 42305




POK-US
A01234
Ref. arch H1234




POKET
A01179
Ref. arch H1179


RELATED PROFILES > FOR MAIN LIGHTING



DES
A18030
Ref. arch 18030



GLADES
A18036
Ref. arch 18036




SEKODU
A06597
Ref. arch B6597




SEKOMA
A06595
Ref. arch B6595

RELATED PROFILES > FOR SCONCES AND WALL LIGHTING



KIDES-DUO
A18032
Ref. arch 18032

RELATED PROFILES > MINIMALISTIC



KOZEL-10
A01575
Ref. arch C1575

RELATED PROFILES > MOUNTING TRACKS

Connector ZM-NA-60

Ref. 42305




RAM-TEK-100
A18061
Ref. arch 18061




RAM-TEK-50
A18059
Ref. arch 18059

RELATED PROFILES > UNIVERSAL



KUBIK-45
A07697
Ref. arch B7697

RELATED SYSTEMS > GENERAL LIGHTING SYSTEMS



MOD-TEK-100
A18061+A18058
Ref. arch 18061+18058



MOD-TEK-50
A18059+A18053
Ref. arch 18059+18053